

LGIP-1 - LGIP-18 SW v2_Smoo20210712.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version

0 400 800 1,200 Metres
SCALE (A3): 1:30,000
N
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994


DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever.
© Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-1 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-2 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**

0 400 800 1,200 Metres
SCALE (A3): 1:30,000
N
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994


DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-3 SW

LGIP-1 - LGIP-18 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-4 SW

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**

0 400 800 1,200 Metres


SCALE (A3): 1:30,000

N


Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-5 SW



LGIP-1 - LGIP-78 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-6 SW

LGIP-1 - LGIP-7B SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-7 SW


LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-8 SW


WOODFORD

STANLEY RIVER CATCHMENT
D'AGUILAR

CABOOLTURE RIVER CATCHMENT
BRACALBA

DELANEYS
CREEK

LGIP-1 - LGIP-18 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-9 SW


LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-10 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-11 SW



LGIP-1 - LGIP-18 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-12 SW

LGIP-1 - LGIP-18 SW v2_Simac20210712.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**

0 400 800 1,200 Metres
SCALE (A3): 1:30,000
N
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994


DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-13 SW

LGIP-1 - LGIP-18 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-14 SW

LGIP-1 - LGIP-15 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-15 SW

LGIP-1 - LGIP-16 SW v2_Smoo20210712.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**


0 200 400 600 Metres
SCALE (A3): 1:15,000
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-16 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-17 SW

LGIP-1 - LGIP-18 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-18 SW

LGIP-1 - LGIP-19 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-19 SW

LGIP-1 - LGIP-18 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-20 SW

LGIP-1 - LGIP-18 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-21 SW

LGIP-1 - LGIP-18 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**

0 400 800 1,200 Metres


SCALE (A3): 1:30,000

N

Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-23 SW



LGIP-1 - LGIP-18 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-24 SW

LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**


0 200 400 600 Metres
SCALE (A3): 1:15,000
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-25 SW



LGIP-1 - LGIP-18 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-26 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-27 SW

LGIP-1 - LGIP-18 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-28 SW


LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-29 SW



LGIP-1 - LGIP-78 SW_Q2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-30 SW

LGIP-1 - LGIP-18 SW v2_Smoo20210712.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**


0 200 400 600 Metres
SCALE (A3): 1:15,000
N
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-31 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-32 SW

LGIP-1 - LGIP-33 SW v2_Signed020712.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**

0 200 400 600 Metres
SCALE (A3): 1:15,000
N
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994


DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-33 SW

LGIP-1 - LGIP-18 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-34 SW


LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**





DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-35 SW






LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-36 SW

LGIP-1 - LGIP-78 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-37 SW

LGIP-1 - LGIP-78 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



Published 11:22:53AM Monday, 12 July 2021

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-39 SW

LGIP-1 - LGIP-18 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-40 SW

LGIP-1 - LGIP-18 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-41 SW


LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-42 SW



LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-43 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-44 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-45 SW

LGIP-1 - LGIP-78 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-46 SW


LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-47 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-48 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**





DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-49 SW






- Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version



DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-51 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version

0 400 800 1,200 Metres
SCALE (A3): 1:30,000
N
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LGIP-53 SW

-  Property Boundary
-  Catchment Boundary
- Future Trunk Stormwater Quantity**
-  Stormwater Network Upgrade
-  Channels Upgrade
-  Roads Raising
-  Culverts Upgrade
-  Levees
-  Detention Basin
-  Drainage Investigation Area
- Future Trunk Stormwater Quality**
-  RainGardens
-  Riparian Vegetation
-  Natural Channel Design
-  Bioretention Basin
-  Constructed Wetland
- Existing Trunk Stormwater Network**
-  Bioretention Basin
-  Constructed Wetland
-  Sediment Basin
-  Detention Basin
-  Stormwater Network
-  Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network


LGIP Interim Amendment No. 1
Public Consultation Version



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information shown. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever.

© Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland



LGIP-54 SW


LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever.
© Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-55 SW



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**

0 200 400 600 Metres


SCALE (A3): 1:15,000

N


Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-56 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**





DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-57 SW






LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-58 SW


LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-59 SW




-  Property Boundary
-  Catchment Boundary
- Future Trunk Stormwater Quantity**
-  Stormwater Network Upgrade
-  Channels Upgrade
-  Roads Raising
-  Culverts Upgrade
-  Levees
-  Detention Basin
-  Drainage Investigation Area
- Future Trunk Stormwater Quality**
-  Rain Gardens
-  Riparian Vegetation
-  Natural Channel Design
-  Bioretention Basin
-  Constructed Wetland
- Existing Trunk Stormwater Network**
-  Bioretention Basin
-  Constructed Wetland
-  Sediment Basin
-  Detention Basin
-  Stormwater Network
-  Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network


LGIP Interim Amendment No. 1
Public Consultation Version



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever.

© Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-60 SW


LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-61 SW



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.

Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**

0 400 800 1,200 Metres


SCALE (A3): 1:30,000

N


Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021


DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-62 SW



LGIP-1_LGIP-78 SW_V2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-63 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-64 SW




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-65 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version

0 200 400 600 Metres
SCALE (A3): 1:15,000
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994


DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



Published 11:28:31AM, Monday, 12 July 2021

LGIP-1 - LGIP-78 SW v2_Simac20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

LGIP Interim Amendment No. 1
Public Consultation Version




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-67 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**





DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-69 SW






LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-70 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-72 SW

LGIP-1 - LGIP-78 SW v2_Smm20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**




DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-73 SW

LGIP-1 - LGIP-78 SW v2_Smoo20210712.mxd



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**

0 200 400 600 Metres
SCALE (A3): 1:15,000
N
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994


DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-74 SW

LGIP-1 - LGIP-75 SW v2_Smoo20210712.mxd




LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
- Stormwater Network Upgrade
- Channels Upgrade
- Roads Raising
- Culverts Upgrade
- Levees
- Detention Basin
- Drainage Investigation Area
- Future Trunk Stormwater Quality**
- RainGardens
- Riparian Vegetation
- Natural Channel Design
- Bioretention Basin
- Constructed Wetland
- Existing Trunk Stormwater Network**
- Bioretention Basin
- Constructed Wetland
- Sediment Basin
- Detention Basin
- Stormwater Network
- Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**



DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LOCAL GOVERNMENT INFRASTRUCTURE PLAN
PLAN FOR TRUNK INFRASTRUCTURE -
STORMWATER

- Property Boundary
- Catchment Boundary
- Future Trunk Stormwater Quantity**
 - Stormwater Network Upgrade
 - Channels Upgrade
 - Roads Raising
 - Culverts Upgrade
 - Levees
 - Detention Basin
 - Drainage Investigation Area
- Future Trunk Stormwater Quality**
 - RainGardens
 - Riparian Vegetation
 - Natural Channel Design
 - Bioretention Basin
 - Constructed Wetland
- Existing Trunk Stormwater Network**
 - Bioretention Basin
 - Constructed Wetland
 - Sediment Basin
 - Detention Basin
 - Stormwater Network
 - Stormwater Channels

Where future trunk infrastructure is located outside the PIA it is intended to service population within the relevant district catchment of the PIA.


Note: The Moreton Bay Local Government boundary is the service catchment for the Stormwater Network

**LGIP Interim Amendment No. 1
Public Consultation Version**

0 200 400 600 Metres
SCALE (A3): 1:15,000
N
Date Produced: 12 July 2021
Projection: Map Grid of Australia, Zone 56
Horizontal Datum: Geocentric Datum of Australia 1994

DISCLAIMER: Some of the information shown in this document has been provided to Council from external third parties. Council makes no representation and gives no warranty about the accuracy, reliability, completeness or suitability for any particular purpose of the information. Persons should not rely on the information shown in this document to make any decision with financial or legal implications and should instead rely on their own enquiries. To the full extent that it is able to do so in law, Council disclaims all liability (including liability in negligence) for all costs, losses and damages (including indirect and consequential costs, losses and damages) caused by or arising from anyone using or relying on the information shown in this document for any purpose whatsoever. © Copyright Moreton Bay Regional Council 2021

DCDB (Version July 2021) is reproduced with the permission of the State of Queensland.



LGIP-76 SW

